

Listado de artículos.

2^o y 3^{er} trimestre de 2018

Prefacio

En su afán por divulgar el conocimiento en materiales compuestos generado en España y posibilitar el establecimiento de sinergias entre los distintos centros, y entre ellos y el tejido productivo, AEMAC se propone hacer un seguimiento de los artículos que se vayan generando en revistas científicas.

El siguiente listado NO contiene todos los que se habrán generado. Ver los criterios de búsqueda al final de este documento. Este listado se ha generado a 5 de Octubre de 2018.

Listado segundo y tercer trimestre de 2018

Abdolpour, H., Garzon-Roca, J., Escusa, G., Sena-Cruz, J. M., Barros, J. A. O., & Valente, I. B. (2018). Composite modular floor prototype for emergency housing applications: Experimental and analytical approach. *Journal of Composite Materials*, 52(13), 1747-1764. doi:10.1177/0021998317733318

Alberti, M. G., Enfedaque, A., & Galvez, J. C. (2018). A review on the assessment and prediction of the orientation and distribution of fibres for concrete. *Composites Part B-Engineering*, 151, 274-290. doi:10.1016/j.compositesb.2018.05.040

Alonso, L., Navarro, C., & Garcia-Castillo, S. K. (2018). Analytical models for the perforation of thick and thin thickness woven laminates subjected to high-velocity impact. *Composites Part B-Engineering*, 143, 292-300. doi:10.1016/j.compositesb.2018.01.030

Arboleda-Clemente, L., Garcia-Fonte, X., Abad, M. J., & Ares-Pernas, A. (2018). Role of rheology in tuning thermal conductivity of polyamide 12/polyamide 6 composites with a segregated multiwalled carbon nanotube network. *Journal of Composite Materials*, 52(18), 2549-2557. doi:10.1177/0021998317749715

Barris, C., Correia, L., & Sena-Cruz, J. (2018). Experimental study on the bond behaviour of a transversely compressed mechanical anchorage system for externally bonded reinforcement. *Composite Structures*, 200, 217-228. doi:10.1016/j.compstruct.2018.05.084

Battegazzore, D., Frache, A., Abt, T., & MasPOCH, M. L. (2018). Epoxy coupling agent for PLA and PHB copolymer-based cotton fabric bio-composites. *Composites Part B-Engineering*, 148, 188-197. doi:10.1016/j.compositesb.2018.04.055

Belgacem, L., Ouinas, D., Olay, J. A. V., & Amado, A. A. (2018). Experimental investigation of notch effect and ply number on mechanical behavior of

interply hybrid laminates (glass/carbon/epoxy). *Composites Part B-Engineering*, 145, 189-196. doi:10.1016/j.compositesb.2018.03.026

- Bertolesi, E., Milani, G., Fagone, M., Rotunno, T., & Grande, E. (2018). Micro-mechanical FE numerical model for masonry curved pillars reinforced with FRP strips subjected to single lap shear tests. *Composite Structures*, 201, 916-931. doi:10.1016/j.compstruct.2018.06.111
- Bonilla, J., Bezerra, L. M., Mirambell, E., & Massicotte, B. (2018). Review of stud shear resistance prediction in steel-concrete composite beams. *Steel and Composite Structures*, 27(3), 355-370. doi:10.12989/scs.2018.27.3.355
- Borrero-Lopez, A. M., Santiago-Medina, F. J., Valencia, C., Eugenio, M. E., Martin-Sampedro, R., & Franco, J. M. (2018). Valorization of Kraft Lignin as Thickener in Castor Oil for Lubricant Applications. *Journal of Renewable Materials*, 6(4), 347-361. doi:10.7569/jrm.2017.634160
- Botana-Galvin, M., Blanco, G., Gonzalez-Rovira, L., Rodriguez, M. A., & Botana, F. J. (2018). Adhesive behaviour of carbon fibre reinforced plastic panels manufactured using woven and unidirectional tape after ultraviolet laser surface treatment. *Journal of Composite Materials*, 52(7), 853-865. doi:10.1177/0021998317718614
- Brito-Pereira, R., Correia, D. M., Ribeiro, C., Francesko, A., Etxebarria, I., Perez-Alvarez, L., . . . Lanceros-Mendez, S. (2018). Silk fibroin-magnetic hybrid composite electrospun fibers for tissue engineering applications. *Composites Part B-Engineering*, 141, 70-75. doi:10.1016/j.compositesb.2017.12.046
- Cameselle-Molares, A., Vassilopoulos, A. P., Renart, J., Turon, A., & Keller, T. (2018). Numerical simulation of two-dimensional in-plane crack propagation in FRP laminates. *Composite Structures*, 200, 396-407. doi:10.1016/j.compstruct.2018.05.136
- Caminero, M. A., Chacon, J. M., Garcia-Moreno, I., & Rodriguez, G. P. (2018). Impact damage resistance of 3D printed continuous fibre reinforced thermoplastic composites using fused deposition modelling. *Composites Part B-Engineering*, 148, 93-103. doi:10.1016/j.compositesb.2018.04.054
- Canas, J., Tavares, L., Blazquez, A., Estefani, A., & Santacruz, G. (2018). A new in situ peeling test for the characterisation of composite bonded joints. *Composites Part a-Applied Science and Manufacturing*, 113, 298-310. doi:10.1016/j.compositesa.2018.07.014
- Colom, X., Marin-Genesca, M., Mujal, R., Formela, K., & Canavate, J. (2018). Structural and physico-mechanical properties of natural rubber/GTR composites devulcanized by microwaves: Influence of GTR source and irradiation time. *Journal of Composite Materials*, 52(22), 3099-3108. doi:10.1177/0021998318761554
- Cornejo, A., Barbu, L. G., Escudero, C., Martinez, X., Oller, S., & Barbat, A. H.

- (2018). Methodology for the analysis of post-tensioned structures using a constitutive serial-parallel rule of mixtures. *Composite Structures*, *200*, 480-497. doi:10.1016/j.compstruct.2018.05.123
- de Lima, G. G., Traon, F., Moal, E., Canillas, M., Rodriguez, M. A., McCarthy, H. O., . . . Nugent, M. J. D. (2018). Composite cryogels for dual drug delivery and enhanced mechanical properties. *Polymer Composites*, *39*, E210-E220. doi:10.1002/pc.24450
- Dehas, W., Guessoum, M., Douibi, A., Jofre-Reche, J. A., & Martin-Martinez, J. M. (2018). Thermal, Mechanical, and Viscoelastic Properties of Recycled Poly(ethylene terephthalate) Fiber-Reinforced Unsaturated Polyester Composites. *Polymer Composites*, *39*(5), 1682-1693. doi:10.1002/pc.24119
- Delgado-Aguilar, M., Vilaseca, F., Tarres, Q., Julian, F., Mutje, P., & Espinach, F. X. (2018). Extending the value chain of corn agriculture by evaluating technical feasibility and the quality of the interphase of chemo-thermomechanical fiber from corn stover reinforced polypropylene biocomposites. *Composites Part B-Engineering*, *137*, 16-22. doi:10.1016/j.compositesb.2017.11.006
- Diaz-Alvarez, A., Rodriguez-Millan, M., Diaz-Alvarez, J., & Miguelez, M. H. (2018). Experimental analysis of drilling induced damage in aramid composites. *Composite Structures*, *202*, 1136-1144. doi:10.1016/j.compstruct.2018.05.068
- Emara, M., Torres, L., Baena, M., Barris, C., & Cahis, X. (2018). Bond response of NSM CFRP strips in concrete under sustained loading and different temperature and humidity conditions. *Composite Structures*, *192*, 1-7. doi:10.1016/j.compstruct.2018.02.048
- Faneca, G., Segura, I., Torrents, J. M., & Aguado, A. (2018). Development of conductive cementitious materials using recycled carbon fibres. *Cement & Concrete Composites*, *92*, 135-144. doi:10.1016/j.cemconcomp.2018.06.009
- Felix, M., Martinez, I., Romero, A., Partal, P., & Guerrero, A. (2018). Effect of pH and nanoclay content on the morphology and physicochemical properties of soy protein/montmorillonite nanocomposite obtained by extrusion. *Composites Part B-Engineering*, *140*, 197-203. doi:10.1016/j.compositesb.2017.12.040
- Fernandez, A., Calvo, J. L. G., & Alonso, M. C. (2018). Ordinary Portland Cement composition for the optimization of the synergies of supplementary cementitious materials of ternary binders in hydration processes. *Cement & Concrete Composites*, *89*, 238-250. doi:10.1016/j.cemconcomp.2017.12.016
- Ferri, J. M., Jorda, J., Montanes, N., Fenollar, O., & Balart, R. (2018). Manufacturing and characterization of poly(lactic acid) composites with hydroxyapatite. *Journal of Thermoplastic Composite Materials*, *31*(7), 865-881. doi:10.1177/0892705717729014
- Garcia-Gonzalez, D., Garzon-Hernandez, S., & Arias, A. (2018). A new constitutive model for polymeric matrices: Application to biomedical materials. *Composites*

Garcia-Macias, E., & Castro-Triguero, R. (2018). Coupled effect of CNT waviness and agglomeration: A case study of vibrational analysis of CNT/polymer skew plates. *Composite Structures*, 193, 87-102. doi:10.1016/j.compstruct.2018.03.001

Garcia-Macias, E., Castro-Triguero, R., & Ubertini, F. (2018). Two-step hierarchical micromechanics model of partially saturated porous composites doped with ellipsoidal particles with interface effects. *Composites Part B-Engineering*, 148, 49-60. doi:10.1016/j.compositesb.2018.04.037

Garcia-Rodriguez, S. M., Costa, J., Bardera, A., Singery, V., & Trias, D. (2018). A 3D tomographic investigation to elucidate the low-velocity impact resistance, tolerance and damage sequence of thin non-crimp fabric laminates: effect of ply-thickness. *Composites Part a-Applied Science and Manufacturing*, 113, 53-65. doi:10.1016/j.compositesa.2018.07.013

Garcia-Rodriguez, S. M., Costa, J., Singery, V., Boada, I., & Mayugo, J. A. (2018). The effect interleaving has on thin-ply non-crimp fabric laminate impact response: X-ray tomography investigation. *Composites Part a-Applied Science and Manufacturing*, 107, 409-420. doi:10.1016/j.compositesa.2018.01.023

Garzon-Hernandez, S., Garcia-Gonzalez, D., & Arias, A. (2018). Multi-impact mechanical behaviour of short fibre reinforced composites. *Composite Structures*, 202, 241-252. doi:10.1016/j.compstruct.2018.01.070

Gil-Castell, O., Badia, J. D., & Ribes-Greus, A. (2018). Suitability of Blends from Virgin and Reprocessed Polylactide: Performance and Energy Valorization Kinetics. *Journal of Renewable Materials*, 6(4), 370-382. doi:10.7569/jrm.2017.634170

Goitandia, A. M., Beobide, G., Vadillo, J., del Val, I., Aranzabe, E., & Aranzabe, A. (2018). Invigorating Polyurethane Foams With Phase Change Materials Supported in Inorganic Containers. *Polymer Composites*, 39(5), 1420-1432. doi:10.1002/pc.24082

Gonzalez, S., Laera, G., Koussios, S., Dominguez, J., & Lasagni, F. A. (2018). Simulation of thermal cycle aging process on fiber-reinforced polymers by extended finite element method. *Journal of Composite Materials*, 52(14), 1947-1958. doi:10.1177/0021998317734625

Grande, E., Fagone, M., Rotunno, T., Bertolesi, E., & Milani, G. (2018). Coupled interface-based modelling approach for the numerical analysis of curved masonry specimens strengthened by CFRP. *Composite Structures*, 200, 498-506. doi:10.1016/j.compstruct.2018.05.118

Gribniak, V., Rimkus, A., Torres, L., & Hui, D. (2018). An experimental study on cracking and deformations of tensile concrete elements reinforced with

multiple GFRP bars. *Composite Structures*, 201, 477-485.
doi:10.1016/j.compstruct.2018.06.059

Guerrero, J. M., Mayugo, J. A., Costa, J., & Turon, A. (2018). A 3D Progressive Failure Model for predicting pseudo-ductility in hybrid unidirectional composite materials under fibre tensile loading. *Composites Part a-Applied Science and Manufacturing*, 107, 579-591. doi:10.1016/j.compositesa.2018.02.005

Herraez, M., Gonzalez, C., Lopes, C. S., de Villoria, R. G., Llorca, J., Varela, T., & Sanchez, J. (2018). Computational micromechanics evaluation of the effect of fibre shape on the transverse strength of unidirectional composites: An approach to virtual materials design (vol 91, pg 484, 2016). *Composites Part a-Applied Science and Manufacturing*, 112, 572-572. doi:10.1016/j.compositesa.2018.05.024

Isarn, I., Gamardella, F., Massagues, L., Fernandez-Francos, X., Serra, A., & Ferrando, F. (2018). New Epoxy Composite Thermosets With Enhanced Thermal Conductivity and High T-g Obtained by Cationic Homopolymerization. *Polymer Composites*, 39, E1760-E1769. doi:10.1002/pc.24774

Ivanez, I., & Braun, M. (2018). Numerical analysis of surface cracks repaired with single and double patches of composites. *Journal of Composite Materials*, 52(8), 1113-1120. doi:10.1177/0021998317722044

Jalon, E., Hoang, T., Rubio-Lopez, A., & Santius, C. (2018). Analysis of low-velocity impact on flax/PLA composites using a strain rate sensitive model. *Composite Structures*, 202, 511-517. doi:10.1016/j.compstruct.2018.02.080

Jing, J., Zhang, Y., Fang, Z. P., & Wang, D. Y. (2018). Core-shell flame retardant/graphene oxide hybrid : a self-assembly strategy towards reducing fire hazard and improving toughness of polylactic acid. *Composites Science and Technology*, 165, 161-167. doi:10.1016/j.compscitech.2018.06.024

Jofre-Reche, J. A., Alia-Garcia, C., Suarez-Bermejo, J. C., Arenas-Reina, J. M., & Martin-Martinez, J. M. (2018). Effect of Adding Different Amounts of Graphite Nanoplatelets on Structural, Thermal, Mechanical and Viscoelastic Properties of Vinylester Based Composites Cured at 25 degrees C. *Polymer Composites*, 39, E1381-E1390. doi:10.1002/pc.24283

Laguna-Gutierrez, E., Escudero, J., Kumar, V., & Rodriguez-Perez, M. A. (2018). Sorption behavior and microcellular foaming of low-density polyethylene/clay nanocomposites by gas dissolution under sub-critical conditions. *Journal of Composite Materials*, 52(17), 2337-2349. doi:10.1177/0021998317744870

Laguna-Gutierrez, E., Escudero, J., & Rodriguez-Perez, M. A. (2018). Analysis of the mechanical properties and effective diffusion coefficient under static creep loading of low-density foams based on polyethylene/clays nanocomposites. *Composites Part B-Engineering*, 148, 156-165. doi:10.1016/j.compositesb.2018.04.057

- Li, Z., Gonzalez, A. J., Heeralal, V. B., & Wang, D. Y. (2018). Covalent assembly of MCM-41 nanospheres on graphene oxide for improving fire retardancy and mechanical property of epoxy resin. *Composites Part B-Engineering*, *138*, 101-112. doi:10.1016/j.compositesb.2017.11.001
- Liminana, P., Garcia-Sanoguera, D., Quiles-Carrillo, L., Balart, R., & Montanes, N. (2018). Development and characterization of environmentally friendly composites from poly(butylene succinate) (PBS) and almond shell flour with different compatibilizers. *Composites Part B-Engineering*, *144*, 153-162. doi:10.1016/j.compositesb.2018.02.031
- Lopez-Puente, J., Mata-Diaz, A., Pernas-Sanchez, J., Artero-Guerrero, J. A., & Varas, D. (2018). Numerical study of composite fragment impacts onto rigid target. *Composite Structures*, *203*, 172-181. doi:10.1016/j.compstruct.2018.07.002
- Maciel, M. M., Ribeiro, S., Ribeiro, C., Francesko, A., Maceiras, A., Vilas, J. L., & Lanceros-Mendez, S. (2018). Relation between fiber orientation and mechanical properties of nano-engineered poly(vinylidene fluoride) electrospun composite fiber mats. *Composites Part B-Engineering*, *139*, 146-154. doi:10.1016/j.compositesb.2017.11.065
- Marotta, A., Lama, G. C., Ambrogio, V., Cerruti, P., Giamberini, M., & Gentile, G. (2018). Shape memory behavior of liquid-crystalline elastomer/graphene oxide nanocomposites. *Composites Science and Technology*, *159*, 251-258. doi:10.1016/j.compscitech.2018.03.002
- Martin, M. I., Rodriguez-Lence, F., Guemes, A., Fernandez-Lopez, A., Perez-Maqueda, L. A., & Perejon, A. (2018). On the determination of thermal degradation effects and detection techniques for thermoplastic composites obtained by automatic lamination. *Composites Part a-Applied Science and Manufacturing*, *111*, 23-32. doi:10.1016/j.compositesa.2018.05.006
- Martinez-Gomez, A., Quiles-Diaz, S., Enrique-Jimenez, P., Flores, A., Ania, F., Gomez-Fatou, M., & Salavagione, H. J. (2018). Searching for effective compatibilizing agents for the preparation of poly (ether ether ketone)/graphene nanocomposites with enhanced properties. *Composites Part a-Applied Science and Manufacturing*, *113*, 180-188. doi:10.1016/j.compositesa.2018.07.027
- Martins, P. M., Ferreira, C. G., Silva, A. R., Magalhaes, B., Alves, M. M., Pereira, L., . . . Lanceros-Mendez, S. (2018). TiO₂/graphene and TiO₂/graphene oxide nanocomposites for photocatalytic applications: A computer modeling and experimental study. *Composites Part B-Engineering*, *145*, 39-46. doi:10.1016/j.compositesb.2018.03.015
- Miranda-Vicario, A., Bravo, P. M., & Coghe, F. (2018). Experimental study of the deformation of a ballistic helmet impacted with pistol ammunition. *Composite Structures*, *203*, 233-241. doi:10.1016/j.compstruct.2018.07.012

- Montiel-Garcia, A., Bustamante, E. O., Escudero-Rincon, M. L., De la Cruz-Terrazas, E. C., & Torres-Huerta, A. M. (2018). Study of reinforcing steel corrosion behaviour treated by bluing and cerium chemical conversion treatments, part I: Conventional electrochemical techniques. *Cement & Concrete Composites*, *90*, 202-217. doi:10.1016/j.cemconcomp.2018.03.012
- Moriche, R., Jimenez-Suarez, A., Sanchez, M., Prolongo, S. G., & Urena, A. (2018). High sensitive damage sensors based on the use of functionalized graphene nanoplatelets coated fabrics as reinforcement in multiscale composite materials. *Composites Part B-Engineering*, *149*, 31-37. doi:10.1016/j.compositesb.2018.05.013
- Moure, M. M., Rubio, I., Aranda-Ruiz, J., Loya, A., & Rodriguez-Millan, M. (2018). Analysis of impact energy absorption by lightweight aramid structures. *Composite Structures*, *203*, 917-926. doi:10.1016/j.compstruct.2018.06.092
- Moyseowicz, A., Gonzalez, Z., Menendez, R., & Gryglewicz, G. (2018). Three-dimensional poly(aniline-co-pyrrole)/thermally reduced graphene oxide composite as a binder-free electrode for high-performance supercapacitors. *Composites Part B-Engineering*, *145*, 232-239. doi:10.1016/j.compositesb.2018.03.018
- Nouar, Y., Nekkaa, S., Fernandez-Garcia, M., & Lopez, D. (2018). The thermal and thermomechanical behaviors of Spartium junceum flour reinforced polypropylene composites: effects of treatment and flour content. *Composite Interfaces*, *25*(12), 1067-1089. doi:10.1080/09276440.2018.1459126
- Nunes-Pereira, J., Sharma, P., Fernandes, L. C., Oliveira, J., Moreira, J. A., Sharma, R. K., & Lanceros-Mendez, S. (2018). Poly(vinylidene fluoride) composites with carbon nanotubes decorated with metal nanoparticles. *Composites Part B-Engineering*, *142*, 1-8. doi:10.1016/j.compositesb.2017.12.047
- Palomar, M., Lozano-Minguez, E., Rodriguez-Millan, M., Miguelez, M. H., & Giner, E. (2018). Relevant factors in the design of composite ballistic helmets. *Composite Structures*, *201*, 49-61. doi:10.1016/j.compstruct.2018.05.076
- Paris, F., Velasco, M. L., & Correa, E. (2018). Micromechanical study on the influence of scale effect in the first stage of damage in composites. *Composites Science and Technology*, *160*, 1-8. doi:10.1016/j.compscitech.2018.03.004
- Paszkiwicz, S., Szymczyk, A., Kasprowiak, I., Zenker, M., Pilawka, R., Linares, A., . . . Roslaniec, Z. (2018). Electrical and rheological characterization of poly(trimethylene terephthalate) hybrid nanocomposites filled with COOH functionalized MWCNT and graphene nanosheets. *Polymer Composites*, *39*(8), 2961-2968. doi:10.1002/pc.24297
- Pech-May, N. W., Vales-Pinzon, C., Vega-Flick, A., Oleaga, A., Salazar, A., Yanez-Limon, J. M., & Alvarado-Gil, J. J. (2018). Heat transport in epoxy and

polyester carbonyl iron microcomposites: The effect of concentration and temperature. *Journal of Composite Materials*, 52(10), 1331-1338.
doi:10.1177/0021998317723694

- Petisco-Ferrero, S., Alvarez, L. P., Ruiz-Rubio, L., Vilela, J. L. V., & Sarasua, J. R. (2018). Plasma poly(acrylic acid) compatibilized hydroxyapatite-poly lactide biocomposites for their use as body-absorbable osteosynthesis devices. *Composites Science and Technology*, 161, 66-73.
doi:10.1016/j.compscitech.2018.04.001
- Pitta, S., Carles, V. D., Roure, F., Crespo, D., & Rojas, J. I. (2018). On the static strength of aluminium and carbon fibre aircraft lap joint repairs. *Composite Structures*, 201, 276-290. doi:10.1016/j.compstruct.2018.06.002
- Pons, D., Espinos, A., Albero, V., & Romero, M. L. (2018). Numerical study on axially loaded ultra-high strength concrete-filled dual steel columns. *Steel and Composite Structures*, 26(6), 705-717. doi:10.12989/scs.2018.26.6.705
- Qian, S. P., Yan, W., Zhu, S. S., Lopez, C. A. F., & Sheng, K. C. (2018). Surface modification of bamboo-char and its reinforcement in PLA biocomposites. *Polymer Composites*, 39, E633-E639. doi:10.1002/pc.24800
- Quan, D., Urdaniz, J. L., Rouge, C., & Ivankovic, A. (2018). The enhancement of adhesively-bonded aerospace-grade composite joints using steel fibres. *Composite Structures*, 198, 11-18. doi:10.1016/j.compstruct.2018.04.071
- Quiles-Carrillo, L., Montanes, N., Garcia-Garcia, D., Carbonell-Verdu, A., Balart, R., & Torres-Giner, S. (2018). Effect of different compatibilizers on injection-molded green composite pieces based on polylactide filled with almond shell flour. *Composites Part B-Engineering*, 147, 76-85.
doi:10.1016/j.compositesb.2018.04.017
- Ram, P., Goren, A., Goncalves, R., Choudhary, G., Ferdov, S., Silva, M. M., . . . Lanceros-Mendez, S. (2018). Improved electrochemical performance of rare earth doped LiMn_{1.5-x}Ni_{0.5}RExO₄ based composite cathodes for lithium-ion batteries. *Composites Part B-Engineering*, 139, 55-63.
doi:10.1016/j.compositesb.2017.11.054
- Redondo, O., Prolongo, S. G., Campo, M., Sbarufatti, C., & Giglio, M. (2018). Anti-icing and de-icing coatings based Joule's heating of graphene nanoplatelets. *Composites Science and Technology*, 164, 65-73.
doi:10.1016/j.compscitech.2018.05.031
- Rotunno, T., Fagone, M., Bertolesi, E., Grande, E., & Milani, G. (2018). Single lap shear tests of masonry curved pillars externally strengthened by CFRP strips. *Composite Structures*, 200, 434-448. doi:10.1016/j.compstruct.2018.05.097
- Saenz-Dominguez, I., Tena, I., Sarrionandia, M., Torre, J., & Aurrekoetxea, J. (2018). Effect of ultraviolet curing kinetics on the mechanical properties of out of die pultruded vinyl ester composites. *Composites Part a-Applied Science*

and Manufacturing, 109, 280-289. doi:10.1016/j.compositesa.2018.03.015

- Sanchez-Safont, E. L., Aldureid, A., Lagaron, J. M., Gamez-Perez, J., & Cabedo, L. (2018). Biocomposites of different lignocellulosic wastes for sustainable food packaging applications. *Composites Part B-Engineering*, 145, 215-225. doi:10.1016/j.compositesb.2018.03.037
- Sanjuan, M. A., Estevez, E., Argiz, C., & del Barrio, D. (2018). Effect of curing time on granulated blast-furnace slag cement mortars carbonation. *Cement & Concrete Composites*, 90, 257-265. doi:10.1016/j.cemconcomp.2018.04.006
- Santamaria-Echart, A., Fernandes, I., Ugarte, L., Barreiro, F., Arbelaiz, A., Corcuera, M. A., & Eceiza, A. (2018). Waterborne polyurethane-urea dispersion with chain extension step in homogeneous medium reinforced with cellulose nanocrystals. *Composites Part B-Engineering*, 137, 31-38. doi:10.1016/j.compositesb.2017.11.004
- Soto, A., Gonzalez, E. V., Maimi, P., de la Escalera, F. M., de Aja, J. R. S., & Alvarez, E. (2018). Low velocity impact and compression after impact simulation of thin ply laminates. *Composites Part a-Applied Science and Manufacturing*, 109, 413-427. doi:10.1016/j.compositesa.2018.03.017
- Tan, W., Naya, F., Yang, L., Chang, T., Falzon, B. G., Zhan, L., . . . Llorca, J. (2018). The role of interfacial properties on the intralaminar and interlaminar damage behaviour of unidirectional composite laminates: Experimental characterization and multiscale modelling. *Composites Part B-Engineering*, 138, 206-221. doi:10.1016/j.compositesb.2017.11.043
- Valasek, P., D'Amato, R., Muller, M., & Ruggiero, A. (2018). Mechanical properties and abrasive wear of white/brown coir epoxy composites. *Composites Part B-Engineering*, 146, 88-97. doi:10.1016/j.compositesb.2018.04.003
- Vanegas-Jaramillo, J. D., Turon, A., Costa, J., Cruz, L. J., & Mayugo, J. A. (2018). Analytical model for predicting the tensile strength of unidirectional composites based on the density of fiber breaks. *Composites Part B-Engineering*, 141, 84-91. doi:10.1016/j.compositesb.2017.12.012
- Vantadori, S., Muniz-Calvente, M., Scorza, D., Fernandez-Canteli, A., Vazquez, A. A., & Carpinteri, A. (2018). The Generalised Local Model applied to Fibreglass. *Composite Structures*, 202, 1353-1360. doi:10.1016/j.compstruct.2018.06.073
- Vilaseca, F., Del Rey, R., Serrat, R., Alba, J., Mutje, P., & Espinach, F. X. (2018). Macro and micro-mechanics behavior of stiffness in alkaline treated hemp core fibres polypropylene-based composites. *Composites Part B-Engineering*, 144, 118-125. doi:10.1016/j.compositesb.2018.02.029
- Yang, W. J., Rallini, M., Wang, D. Y., Gao, D. Q., Dominici, F., Torre, L., . . . Puglia, D. (2018). Role of lignin nanoparticles in UV resistance, thermal and mechanical performance of PMMA nanocomposites prepared by a combined

free-radical graft polymerization/masterbatch procedure. *Composites Part a-Applied Science and Manufacturing*, 107, 61-69.
doi:10.1016/j.compositesa.2017.12.030

- Yousefzade, O., Garmabi, H., Puiggali, J., & Moghadam, M. H. (2018). Rigid amorphous phase and constrained polymer chains in poly(L-lactide) nanocomposites with carboxylated carbon nanotubes prepared via reactive melt mixing. *Polymer Composites*, 39, E1280-E1293. doi:10.1002/pc.24856
- Zedler, L., Colom, X., Saeb, M. R., & Formela, K. (2018). Preparation and characterization of natural rubber composites highly filled with brewers' spent grain/ground tire rubber hybrid reinforcement. *Composites Part B-Engineering*, 145, 182-188. doi:10.1016/j.compositesb.2018.03.024
- Zhang, S. D., Lin, Z. S., Jiang, G., Wang, J. S., & Wang, D. Y. (2018). Construction of chelation structure between Ca²⁺ and starch via reactive extrusion for improving the performances of thermoplastic starch. *Composites Science and Technology*, 159, 59-69. doi:10.1016/j.compscitech.2018.02.027
- Zhao, X. M., Zhang, L., Alonso, J. P., Delgado, S., Martinez-Miranda, M. R., & Wang, D. Y. (2018). Influence of phenylphosphonic amide on rheological, mechanical and flammable properties of carbon fiber/RTM6 composites. *Composites Part B-Engineering*, 149, 74-81. doi:10.1016/j.compositesb.2018.05.018
- Zumaquero, P. L., Correa, E., Justo, J., & Paris, F. (2018). Microscopical observations of interface cracks from inter-fibre failure under compression in composite laminates. *Composites Part a-Applied Science and Manufacturing*, 110, 76-83. doi:10.1016/j.compositesa.2018.04.004

Datos bibliográficos agregados (2018, hasta 5/10/2018)

Revistas




Grupos



Países colaboradores



Áreas temáticas



Criterios de búsqueda

Los artículos que se muestran son los que aparecen en la base de datos “*Science Citation Index Expanded (SCI-EXPANDED) from Web of Knowledge Core Collection*” de Clarivate Analytics, con las restricciones: Subject = “Materials Science, Composites” y Country = “Spain”. Por lo tanto, por ejemplo, no aparecerán artículos de autores españoles afiliados a centros extranjeros ni artículos de composites publicados en revistas indexadas en otras materias (*subjects*).

Contribución a la ampliación de los criterios de búsqueda

Para identificar los artículos sobre materiales compuestos con autoría de centros de investigación españoles publicados en revistas indexadas en otras materias (*subjects*), los centros pueden enviar a AEMAC (administración@aemac.org) los criterios de “búsqueda avanzada” a utilizar en la base de datos antes citada que permitan identificar sin ambigüedad las publicaciones del centro. No se atenderá a la recepción de artículos individuales ni a criterios de “búsqueda avanzada” que no estén en el formato de la base de datos (el formato aceptable será el resultado de un “Saved Search” en la ventana de búsquedas avanzadas de la base de datos). El centro debe haber comprobado la fiabilidad del criterio de búsqueda (no debe generar ni artículos de otros campos ni de otros autores).

Descargo de responsabilidad

La información contenida en este listado está destinada únicamente a fines informativos con objeto de aumentar su difusión general y se ha recabado de bases de datos de terceros. Por la presente nota de descargo de responsabilidad, AEMAC declina cualquier responsabilidad por omisión o inexactitud de la información recogida en este documento.